CLAIMS

What is Claimed:

1.   A method of communicating on a communication system having a client terminal connecting a server through a network and collaborating with other client terminals connected to said network, said method comprising the steps of:

    (a) generating an image file in response to specifying an image area by an operator of said client terminal;

    (b) acquiring an image file name from said server;

    (c) converting said image file to generate a predetermined formed compressed image data which has a file name relating to said image file name;

    (d) sending said predetermined formed compressed image data to said server;

    (e) displaying said predetermined formed compressed image data of said server on a Web browser on said client terminal; and

    (f) posting the file name of said predetermined formed compressed image data to the client terminals collaborating with said client terminal.

2.   A method of communicating on a communication system having a client terminal connecting a server through a network, said method comprising the steps of:

    (a) generating an image file in response to specifying image data by an operator of said client terminal;

27

5   (b) determining a unique image file name on said server;

6   (c) converting said image file to generate a predetermined formed compressed image
7   data which has a file name relating to said unique image file name;

8   (d) sending said predetermined formed compressed image data to said server; and

9   (e) displaying said predetermined formed compressed image data of said server on a
10   Web browser on said client terminal.

1   3.   A method of communicating on a communication system having a client terminal
2   connecting a server through a network, said method comprising the steps of:

3   (a) generating an image file in response to specifying image data by an operator of
4   said client terminal;

5   (b) converting said image file to generate a predetermined formed compressed image
6   data;

7   (c) sending said predetermined formed compressed image data to said server;

8   (d) determining a unique image file name on said server and posting it to said client
9   terminal; and

10   (e) displaying said predetermined formed compressed image data of said server on a
11   Web browser on said client terminal.

28

4.   A method of communicating on a communication system having a client terminal connecting with a network and a server connecting with said network and storing a file created by an operator of said client terminal which has a name capable of determining that it was created by said operator, said method comprising the steps of:

(a) receiving a message sent from said client terminal including information capable of identifying said operator;

(b) acquiring the information capable of identifying said operator included in said message;

(c) acquiring the file name of the file created by said operator based on said information capable of identifying said operator;

(d) generating a file list file by inserting said file name into a skeleton file; and

(e) posting the file name of said file list file to said client terminal.

5.   A client terminal connecting a server through a network and collaborating with other client terminals connected to said network, said client terminal comprising:

(a) a screen range selector for specifying a screen range in response to operation for specifying screen range by an operator;

(b) an image file generator for acquiring an image according to said screen range and generating an image file;

(c) a file name acquisition division for acquiring an original name from said server;

8

9

(d) an image file converter for converting said image file to generate a predetermined formed compressed image data;

10

11

(e) a file transmitter for sending to said server said predetermined formed compressed image data which has a file name relating to said original name; and

12

13

(f) a display division for displaying said predetermined formed compressed image data of said server on a Web browser on said client terminal.

1

2

3

6.   A server connecting a client terminal through a network and storing a file created by an operator of said client terminal which has a file name capable of determining that it was created by said operator, said server comprising:

4

5

6

(a) a message analysis division for receiving a message sent from said client terminal including information capable of identifying said operator and acquiring said information; and

7

8

9

(b) a file list generator for acquiring the file name of the file created by said operator based on said information, generating a file list file by inserting said file name into a skeleton file; and posting the file name of said file list file to said client terminal.

1

2

3

7.   A communication system having a first and a second client terminal connecting with a network and a server connecting said first and a second client terminal through said network, said communication system comprising:

4

the first client terminal comprising:

5

(a1) an image file generator for, in response to operation for specifying a screen range by an

30

6   operator, generating an image file according to said operation;

7   (a2) a file name acquisition division for acquiring an original name from said server;

8   (a3) an image file converter for converting said image file to generate a predetermined

9   formed compressed image data;

10   (a4) a file transmitter for sending to said server said predetermined formed compressed

11   image data which has a file name relating to said original name; and

12   (a5) a display division for displaying said predetermined formed compressed image data of

13   said server on a Web browser on said first client terminal and posting the name of said

14   predetermined formed compressed image data to said second client terminal, and

15   (b) a server comprising a file name generator for generating an original name capable of

16   uniquely identifying said first client terminal in response to a request from said first client

17   terminal and posting it to said first client terminal; and

18   (c) the second client terminal for displaying said predetermined formed compressed image

19   data of said server on a Web browser on said second client terminal based on the name of

20   said predetermined formed compressed image data sent from said first client terminal.

1   8.   A storage medium storing a software product for connecting a server through a network

2   and controlling communication performed on a communication system having a client

3   terminal collaborating with other client terminals connected to said network, said software

4   product comprising the program codes for:

5   (a) directing said client terminal to generate an image file in response to specifying an image

6   area by an operator of said client terminal;

31

7   (b) directing said client terminal to acquire an image file name from said server;

8   (c) directing said client terminal to convert said image file and generate a predetermined
9   formed compressed image data which has a file name relating to said image file name
10   acquired from said server;

11   (d) directing said client terminal to send said predetermined formed compressed image data
12   to said server;

13   (e) directing said client terminal to display said predetermined formed compressed image
14   data of said server on a Web browser on said client terminal; and

15   (f) directing said client terminal to post the file name of said predetermined formed
16   compressed image data to the client terminals collaborating with said client terminal.

1   9. A storage medium storing a software product for controlling communication performed
2   on a communication system having a client terminal connecting a server through a network,
3   said software product comprising the program codes for:

4   (a) directing said client terminal to generate an image file in response to specifying image
5   data by an operator of said client terminal;

6   (b) directing said client terminal to determine a unique image file name on said server;

7   (c) directing said client terminal to convert said image file and generate a predetermined
8   formed compressed image data which has a file name relating to said image file name
9   acquired from said server;

10   (d) directing said client terminal to send said predetermined formed compressed image data

11   to said server; and

12   (e) directing said client terminal to display said predetermined formed compressed image
13   data of said server on a Web browser on said client terminal.

10.   A storage medium storing a software product for controlling communication
2   performed on a communication system having a client terminal connecting a server through
3   a network, said software product comprising the program codes for:

4   (a) directing said client terminal to generate an image file in response to specifying image
5   data by an operator of said client terminal;

6   (b) directing said client terminal to convert said image file and generate a predetermined
7   formed compressed image data;

8   (c) directing said client terminal to send said predetermined formed compressed image data
9   to said server;

10   (d) directing said client terminal to determine a unique image file name on said server and
11   post it to said client terminal; @and

12   (e) directing said client terminal to display said predetermined formed compressed image
13   data of said server on a Web browser on said client terminal.

11.   A storage medium storing a software product for controlling communication
2   performed on a communication system having a client terminal connecting with a network
3   and a server connecting with said network and storing a file created by an operator of said
4   client terminal which has a file name capable of determining that it was created by said

33

5   operator, said software product comprising the program codes for:

6   (a) directing said server to receive a message sent from said client terminal including
7   information capable of identifying said operator;

8   (b) directing said server to acquire the information capable of identifying said operator
9   included in said message;

10   (c) directing said server to acquire the file name of the file created by said operator based on
11   said information capable of identifying said operator;

12   (d) directing said server to generate a file list file by inserting said file name into a skeleton
13   file; and

14   (e) directing said server to post the file name of said file list file to said client terminal.

ADD C2

34